## **Amendments to the Claims**

This listing of claims will replace all prior versions and listings of claims in the application:

## **Listing of Claims:**

- 1. (canceled)
- 2. (currently amended) A compound represented by Formula I:

$$R_1$$
 $R_3$ 
 $R_5$ 
 $R_4$ 
 $R_6$ 
 $R_6$ 
Formula I

wherein:

 $R_1$  is hydrogen or -C(O)OR<sub>c</sub>, where  $R_c$  is an unsubstituted alkyl, unsubstituted alkenyl, or unsubstituted alkynyl group;

 $R_2$  is hydrogen or an alkyl, alkenyl, or heteroalkyl group, unsubstituted or substituted with one or more substituents independently selected from the group consisting of :

-O-; -NR<sub>d</sub>R<sub>d</sub>; -OR<sub>d</sub>; halogens; and an aryl group, unsubstituted or substituted with one or more substituents independently selected from the group consisting of:

halogens; - $C(R_d)_3$ ; unsubstituted alkyl, alkyl- $R_d$ , alkenyl- $R_d$ , and aryl groups,

where R<sub>d</sub> is one or more substituents independently selected from the group consisting of hydrogen; unsubstituted alkyl, unsubstituted alkenyl, and unsubstituted aryl groups;

R<sub>3</sub> is hydrogen or an alkyl, alkenyl, or heteroalkyl group, unsubstituted or substituted with one or more substituents independently selected from the group consisting of :

-O-; -ORe; and, alkyl, aryl, cycloalkyl, and heteroaryl groups, unsubstituted or substituted with one or more substituents independently selected from the group consisting of:

halogens; -OH; and aryl or heteroaryl groups, substituted with one or more  $R_{\text{e}}$  substituents,

where R<sub>e</sub> is one or more substituents independently selected from the group consisting of halogens; hydrogen; OH; unsubstituted alkyl; and aryl unsubstituted or substituted with one or more substituents independently selected from the group consisting of halogen and alkyl;

R<sub>4</sub> is hydrogen or an alkyl group, unsubstituted or substituted with -OR<sub>f</sub>, where R<sub>f</sub> is an unsubstituted alkyl group;

R<sub>5</sub> is hydrogen or an alkyl group;

R<sub>6</sub> is hydrogen or an alkyl group unsubstituted or substituted with an aryl group;

 $R_4$  and  $R_6$  together with the N to which  $R_6$  is attached cyclize to form the following compound represented by the Formula Id:

$$R_1$$
 $R_2$ 
 $R_1$ 
 $R_3$ 
 $R_5$ 
Formula Id

wherein  $R_{12}$  and  $R_{13}$  are each independently hydrogen; and n is 1;

R<sub>7</sub> is hydrogen or an alkyl, alkenyl, or aryl group, unsubstituted or substituted with an aryl group, unsubstituted or substituted with one or more halogens;

X is C or N;

Y is C;

Z is C or N; and

there is a double bond between X and the 6-membered ring and Z and the 6-membered ring; or between X and Y; or between Y and Z;

or a pharmaceutically acceptable salt, pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof.

3. (currently amended) A compound according to claim 2, wherein:

R<sub>1</sub> is hydrogen or -C(O)O-ethyl;

R<sub>2</sub> is hydrogen, methyl, ethyl, propyl, vinyl, allyl, or benzyl, unsubstituted or substituted with one or more substituents independently selected from the group consisting of:

halogens, -O-, OH, amino, and phenyl, unsubstituted or substituted with one or more substituents selected from the group consisting of :

methyl, ethyl, phenyl, benzyl, 2-phenylethyl, 3-phenylallyl, and 2-phenylvinyl;

R<sub>3</sub> is methyl, ethyl, butyl, or benzyl, unsubstituted or substituted with one or more substituents independently selected from the group consisting of:

halogens, OH, methyl, cyclohexyl, -O-, thiadiazole, thiophenyl, and phenoxy, unsubstituted or substituted with one or more substituents independently selected from the group consisting of:

halogens, phenyl, and ethoxy;

R<sub>4</sub> is hydrogen, methyl or methoxymethyl;

R<sub>5</sub> is hydrogen or methyl;

R<sub>6</sub> is hydrogen, methyl, or benzyl;

R<sub>7</sub> is hydrogen, methyl, benzyl, phenyl, allyl, or *tert*-butyl, unsubstituted or substituted with one or more halogens; and

 $R_4$  and  $R_6$  together with the N to which  $R_6$  attaches cyclize to form a pyrrole-2-one[.]; or a pharmaceutically acceptable salt thereof.

4. (currently amended) A compound according to claim 3, wherein:

```
R<sub>1</sub> is hydrogen or -C(O)O-ethyl;
```

R<sub>2</sub> is selected from

hydrogen;

hydroxymethyl;

methoxymethyl;

ethoxymethyl;

2-phenylvinyl;

3-phenylprop-1-enyl;

[(2-phenylvinyl)oxy]methyl;

dimethylaminomethyl;

benzyloxymethyl;

4-fluorobenzyl;

2-phenylvinyl;

2-phenylethyl;

3-phenylpropyl;

2-phenylethoxymethyl;

[(phenylprop-2-enyl)oxy]methyl;

[(3-phenylallyl)oxy]methyl;

methyl;

ethyl; and

allyl;

R<sub>3</sub> is selected from

hydrogen;

2,4-difluorobenzyl;

2,3-difluorobenzyl;

4-fluorobenzyl;

3-chloro-2,6-difluorobenzyl;

3-chloro-5-fluoro-2-hydroxybenzyl;

5-chloro-thiophen-2-ylmethyl;

3-chloro-2-fluorobenzyl;

2,3-dichlorobenzyl;

5-ethoxy-[1,2,3]thiadiazol-4-ylmethyl;

3-methyl-butyl;

2-cyclohexyl-ethyl;

2,4-difluoro-phenoxymethyl;

3,5-difluoro-2-hydroxybenzyl;

2-chloro-4-fluoro-phenoxymethyl;

3-chloro-5-fluoro-2-hydroxybenzyl;

4-fluoro-phenoxymethyl;

5-fluoro-2-hydroxy-benzyl;

2,3,4-trifluoro-phenoxymethyl;

3,4,5-trifluoro-2-hydroxybenzyl;

2-chloro-phenoxymethyl; and

5-chloro-2-hydroxy-benzyl;

R<sub>4</sub> is hydrogen, methyl or methoxymethyl;

R<sub>5</sub> is hydrogen or methyl;

R<sub>6</sub> is hydrogen, methyl, or benzyl;

R<sub>7</sub> is hydrogen, methyl, benzyl, phenyl, pentafluorobenzyl, allyl, or tert-butyl;

 $R_4$  and  $R_6$  together with the N to which  $R_6$  attaches cyclize to form a pyrrol-2-one[.]; or a pharmaceutically acceptable salt thereof.

5. (currently amended) A compound according to claim 2, represented by Formula Ia:

$$R_1$$
 $R_3$ 
 $R_4$ 
 $R_4$ 
 $R_6$ 
 $R_6$ 
Formula Ia

wherein:

X is N;

Y is C;

Z is C; and

the double bond is between Y and Z;

or a pharmaceutically acceptable salt, pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof.

6. (previously presented) A compound according to claim 2, represented by Formula Ib:

$$R_1$$
 $R_3$ 
 $R_4$ 
 $R_4$ 
 $R_6$ 
Formula Ib

wherein:

X is N;

Y is C;

Z is N; and

the double bond is between Y and Z;

or a pharmaceutically acceptable salt thereof.

7. (currently amended) A compound according to claim 2, represented by Formula Ic:

$$R_1$$
 $R_2$ 
 $R_4$ 
 $R_6$ 
 $R_6$ 
Formula Ic

wherein:

X is C;

Y is C;

Z is N; and

the double bond is between X and Y;

or a pharmaceutically acceptable salt, pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof.

## 8. (currently amended) A compound according to claim 2, represented by Formula le:

$$R_1$$
 $R_2$ 
 $R_4$ 
 $R_6$ 
 $R_6$ 
Formula Ie

wherein:

X is N;

Y is C;

Z is N; and

the double bond is between X and Y;

or a pharmaceutically acceptable salt, pharmaceutically acceptable prodrug, or a pharmaceutically active metabolite thereof.

## 9. (canceled)

10. (currently amended) A compound selected from the group consisting of:

1-(2,4-Difluorobenzyl)-N-hydroxy-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;

1-(2,4-Difluorobenzyl)-N-hydroxy-N-methyl-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;

1-(4-Fluorobenzyl)-N-hydroxy-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;

1-(4-Fluorobenzyl)-N-hydroxy-N-methyl-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;

N-Benzyl-1-(4-fluorobenzyl)-N-hydroxy-1H-pyrrolo[2,3-c]pyridine -5-carboxamide;

1-(3-Chloro-2,6-difluorobenzyl)-N-hydroxy-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;

1-(5-Chloro-thiophen-2-ylmethyl)-N-hydroxy-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;

1-(3-Chloro-2-fluorobenzyl)-N-hydroxy-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;

1-(2,3-Dichlorobenzyl)-N-hydroxy-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;

1-(5-Ethoxy-[1,2,3]thiadiazol-4-ylmethyl)-N-hydroxy-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;

1-(2,4-Difluorobenzyl)-N-hydroxy-4-methyl-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;

1-(2,4-Difluorobenzyl)-3-ethoxymethyl-*N*-hydroxy-1*H*-pyrrolo[2,3-*c*]pyridine-5-carboxamide;

1-(2,4-Difluorobenzyl)-N-hydroxy-3-hydroxymethyl-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;

- 1-(2,4-Difluorobenzyl)-3-dimethylaminomethyl-*N*-hydroxy-1*H*-pyrrolo[2,3-*c*]pyridine-5-carboxamide;
- 3-Benzyloxymethyl-1-(2,4-difluorobenzyl)-N-hydroxy-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;
- 3-(2,4-Difluorobenzyl)-N-hydroxy-3H-imidazo[4,5-c]pyridine-6-carboxamide;
- 1-(2,4-Difluorobenzyl)-*N*-hydroxy-1*H*-imidazo[4,5-c]pyridine-6-carboxamide;
- 1-(2,4-Difluorobenzyl)-3-ethoxymethyl-*N*-hydroxy-*N*-methyl-1*H*-pyrrolo[2,3-*c*]pyridine-5-carboxamide:
- 1-(2,4-Difluorobenzyl)-*N*-hydroxy-3-hydroxymethyl-*N*-methyl-1*H*-pyrrolo[2,3-c]pyridine-5-carboxamide;
- 1-(2,4-Difluorobenzyl)-3-dimethylaminomethyl-*N*-hydroxy-*N*-methyl-1*H*-pyrrolo[2,3-*c*]pyridine-5-carboxamide;
- 1-(2,4-Difluorobenzyl)-N-methoxy-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;
- 1-(2,4-Difluorobenzyl)-3-ethoxymethyl-N-methoxy-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;
- 1-(2,4-Difluorobenzyl)-3-hydroxymethyl-N-methoxy-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;
- 1-(2,4-Difluorobenzyl)-3-dimethylaminomethyl-*N*-methoxy-1*H*-pyrrolo[2,3-*c*]pyridine-5-carboxamide:
- N-Benzyloxy-1-(2,4-difluorobenzyl)-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;
- N-Benzyloxy-3-(4-fluorobenzyl)-3H-imidazo[4,5-c]pyridine-6-carboxamide;
- 3-(4-Fluorobenzyl)-N-methoxy-3H-imidazo[4,5-c]pyridine-6-carboxamide;
- 3-(4-Fluorobenzyl)-N-phenoxy-3H-imidazo[4,5-c]pyridine-6-carboxamide;
- 3-(4-Fluorobenzyl)-N-[(pentafluorobenzyl)oxy]-3H-imidazo[4,5-c]pyridine-6-carboxamide;
- *N*-(Allyloxy)-3-(4-fluorobenzyl)-3*H*-imidazo[4,5-*c*]pyridine-6-carboxamide;
- 6-(2,4-Difluorobenzyl)-2-hydroxy-1,6-dihydrodipyrrolo[3,2-d:3',4'-b]pyridin-3(2H)-one;
- 3-(2,3-Difluorobenzyl)-N-phenoxy-3H-imidazo[4,5-c]pyridine-6-carboxamide;
- 3-(2,3-Difluorobenzyl)-N-methoxy-3H-imidazo[4,5-c]pyridine-6-carboxamide;
- *N*-Allyloxy-3-(2,3-difluorobenzyl)-3*H*-imidazo[4,5-*c*]pyridine-6-carboxamide;
- 1-(4-Fluorobenzyl)-N-phenoxy-1H-imidazo[4,5-c]pyridine-6-carboxamide;
- *N-tert*-Butoxy-3-(2,3-difluorobenzyl)-3*H*-imidazo[4,5-*c*]pyridine-6-carboxamide;
- *N*-Methoxy-3-(3-methyl-butyl)-3*H*-imidazo[4,5-*c*]pyridine-6-carboxamide;
- 3-(3-Methyl-butyl)-N-phenoxy-3H-imidazo[4,5-c]pyridine-6-carboxamide;
- 3-(2-Cyclohexyl-ethyl)-*N*-phenoxy-3*H*-imidazo[4,5-*c*]pyridine-6-carboxamide;
- 3-(2-Cyclohexyl-ethyl)-N-methoxy-3H-imidazo[4,5-c]pyridine-6-carboxamide;
- *N*-Allyloxy-3-(2-cyclohexyl-ethyl)-3*H*-imidazo[4,5-*c*]pyridine-6-carboxamide;
- 1-(2,4-Difluorobenzyl)-N-hydroxy-4-methoxymethyl-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;
- 1-(2,4-Difluorobenzyl)-N-hydroxy-3-(2-phenylvinyl)-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;

- 1-(2,4-Difluorobenzyl)-*N*-hydroxy-3-(3-phenylprop-1-enyl)-1*H*-pyrrolo[2,3-*c*]pyridine-5-carboxamide;
- 1-(2,4-Difluorobenzyl)-*N*-hydroxy-3-(2-phenylethyl)-1*H*-pyrrolo[2,3-*c*]pyridine-5-carboxamide;
- 1-(2,4-Difluorobenzyl)-*N*-hydroxy-3-(3-phenylpropyl)-1*H*-pyrrolo[2,3-*c*]pyridine-5-carboxamide;
- 1-(2,4-Difluorobenzyl)-*N*-hydroxy-3-{[(2-phenylethyl)oxy]methyl}-1*H*-pyrrolo[2,3-*c*]pyridine-5-carboxamide;
- 1-(2,4-Difluorobenzyl)-*N*-hydroxy-3-{[(3-phenylallyl)oxy]methyl}-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;
- 1-(2,4-Difluorobenzyl)-N-hydroxy-3-methyl-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;
- 1-(2,4-Difluorobenzyl)-3-ethyl-N-hydroxy-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;
- 3-Allyl-1-(2,4-difluorobenzyl)-N-hydroxy-1H-pyrrolo[2,3-c]pyridine-5-carboxamide;
- 1-(2,4-Difluorobenzyl)-*N*-hydroxy-7-methyl-1*H*-pyrrolo[2,3-*c*]pyridine-5-carboxamide;
- Ethyl 1-(2,4-Difluorobenzyl)-5-hydroxycarbamoyl-1*H*-pyrrolo[2,3-*c*]pyridine-2-carboxylate;
- 3-(2,4-Difluoro-phenoxymethyl)-1-ethyl-*N*-hydroxy-1*H*-pyrrolo[3,2-*c*]pyridine-6-carboxamide;
- 3-(3,5-Difluoro-2-hydroxybenzyl)-1-ethyl-*N*-hydroxy-1*H*-pyrrolo[3,2-*c*]pyridine-6-carboxamide;
- 3-(2-Chloro-4-fluoro-phenoxymethyl)-1-ethyl-N-hydroxy-1H-pyrrolo[3,2-c]pyridine-6-carboxamide;
- 3-(3-Chloro-5-fluoro-2-hydroxybenzyl)-1-ethyl-*N*-hydroxy-1*H*-pyrrolo[3,2-*c*]pyridine-6-carboxamide;
- 1-Ethyl-3-(4-fluoro-phenoxymethyl)-N-hydroxy-1H-pyrrolo[3,2-c]pyridine-6-carboxamide;
- 1-Ethyl-3-(5-fluoro-2-hydroxybenzyl)-N-hydroxy-1H-pyrrolo[3,2-c]pyridine-6-carboxamide;
- 1-Ethyl-N-hydroxy-3-(2,3,4-trifluoro-2-phenoxymethyl)-1H-pyrrolo[3,2-c]pyridine-6-carboxamide;
- 1-Ethyl-N-hydroxy-3-(3,4,5-trifluoro-2-hydroxybenzyl)-1H-pyrrolo[3,2-c]pyridine-6-carboxamide;
- 3-(2-Chloro-phenoxymethyl)-1-ethyl-N-hydroxy-1H-pyrrolo[3,2-c]pyridine-6-carboxamide; and
- 3-(5-Chloro-2-hydroxy-benzyl)-1-ethyl-*N*-hydroxy-*1H*-pyrrolo[3,2-*c*]pyridine-6-carboxamide; or and a pharmaceutically acceptable salts salt thereof.
- 11. (currently amended) A composition comprising:
  - a therapeutically effective amount of a compound or pharmaceutically acceptable salt according to claim 2; and
  - a pharmaceutically acceptable carrier, diluent, or vehicle therefore therefor.
- 12. (currently amended) A method of inhibiting or modulating an enzyme activity of HIV Integrase, comprising contacting said enzyme with an effective amount of a compound[,] or a pharmaceutically acceptable salt thereof, pharmaceutically acceptable prodrug, or pharmaceutically active metabolite as defined in claim 2.

- A method of treating a disease or condition mediated by HIV, comprising administering to a mammal in need of such treatment a therapeutically effective amount of at least one compound, pharmaceutically acceptable salt, pharmaceutically acceptable prodrug, or pharmaceutically active metabolite as defined in claim 2[.], or a pharmaceutically acceptable salt thereof.
- 14. (original) A method of evaluating the HIV integrase modulatory activity of a test compound, comprising:
- a) immobilizing viral DNA on a surface, wherein the viral DNA has been modified to contain a CA base pair overhang at the 5' end;
  - b) adding integrase to the immobilized DNA;
  - c) adding a test compound to the immobilized viral DNA/integrase mixture;
  - d) obtaining target ds-DNA radiolabeled at both 3' ends;
- e) combining the immobilized viral DNA/integrase/compound mixture with the radiolabeled target DNA to initiate a reaction;
  - f) stopping the reaction by adding a stop buffer to the combination of (e); and
- g) reading the reaction results in a scintillation counter to determine whether the test compound modulates the activity of the integrase.
- 15. (original) The method of claim 14, wherein the surface is at least one scintillation proximity assay bead.